VERSION TO SHOW MARKINGS OF CHANGES MADE 3 0 NOV 2001

# IN THE SPECIFICATION:

On page 1, after the title, insert the following heading:

### -- BACKGROUND OF THE INVENTION --

On page 2, after line 11, insert the following heading:

#### -- SUMMARY OF THE INVENTION;

and change lines 12-17 to read as follows:

-- It is a principal object of the present invention to improve upon a practice ammunition projectile of the type described above including a chemically reactive marking agent, and to enable its trajectory to be observed, if desired.

This object, as well as further objects which will become apparent from the discussion that follows, are achieved, in accordance with the present invention, by providing compartment, which are adapted to broken up by the initial acceleration forces and/or the centrifugal forces applied to the projectile when it is fired, and providing a hood, surrounding the compartments, which is formed of optically transparent material to enable the trajectory of the practice projectile to be tracked. --

On page 4, change lines 1-3 to read as follows:

-- For a full understanding of the present invention,

reference should now be made to the following detailed

description of the preferred embodiments of the invention

as illustrated in the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS --; and after line 9, insert the following heading and paragraph:

-- DESCRIPTION OF THE PREFERRED EMBODIMENTS

The preferred embodiments of the present invention will now be described with reference to Figs. 1 and 2 of the drawings. Identical elements in the various figures are designated with the same reference numerals. --

On page 5, after the last line, insert the following paragraph:

-- There has thus been shown and described a novel practice ammunition projectile which fulfills all the objects and advantages sought therefor. Many changes, modifications, variations and other uses and applications of the subject invention will, however, become apparent to those skilled in the art after considering this specification and the accompanying drawings which disclose the preferred

'embodiments thereof. All such changes, modifications, variations and other uses and applications which do not depart from the spirit and scope of the invention are deemed to be covered by the invention, which is to be limited only by the claims which follow. --

### IN THE CLAIMS:

In line 1, delete "NEW PATENT CLAIMS" and insert:

#### -- CLAIMS

## What is claimed is: --

Please cancel claims 1-7 in their entirety and insert the following new claims:

8. In a practice ammunition projectile comprising a head designed to burst when the projectile strikes a target and to receive a marking agent optically indicating the impact after the head has burst, said marking agent contained in a burstable hood at the head of the practice projectile and comprising a plurality of chemical components each received in a separate frangible compartment, said components being mixed and reacting chemically with each other as the compartments break up, causing the optical marking reaction to be produced, the improvement wherein the compartments are adapted to be broken up by at least one of the initial

acceleration and the centrifugal forces on the projectile when in use, and wherein the hood is formed of an optically transparent material to enable the trajectory of practice projectile to be tracked.

- 9. Practice ammunition projectile as in claim 8, wherein the optical marking is visible in the infrared range.
- 10. Practice ammunition projectile as in claim 8, wherein the optical marking emits light in the visible and infrared ranges.
- 11. Practice ammunition projectile as in claim 8, wherein the compartments are separated by partitions, said partitions having predetermined breaking points therein.

### IN THE ABSTRACT:

Please add the following ABSTRACT OF THE DISCLOSURE on the attached sheet.